

CAP



DY-350CAP

Bucket hat sewing machine

This model independently researches and develops varieties of intelligent control panel caps. LCD screen, simple operation interface, you can directly input and program on the screen, which is very convenient. This machine adopts a link-type feeding structure, which has good durability and balanced feeding. For bulky sewing materials and medium-thick sewing materials with large creep, the feeding amount of the upper and lower layers can be consistent during the sewing process. Using built-in integrated computer control technology, stable performance and strong anti-interference ability. The large rotary hook is used to reduce the number of bottom thread changes and improve the work efficiency; the automatic lubrication device is used to improve the machine, automatically count the reverse stitches, and the service life of the electronics. It has a variety of intelligent sewing modes such as voice broadcast, USB socket, new double-acting knife thread trimming structure, sealed bottom case oil pan, automatic needle position setting, automatic needle number clamping, automatic presser foot lift and other intelligent sewing modes. Suitable for sewing medium straw hats, beach hats, decorative hats, etc.



DY-350CAP	•	•	2,200	0-12	DPX17 18#-23#	37	7/16	•	•	•	260X120
-----------	---	---	-------	------	------------------	----	------	---	---	---	---------

GLOF CAP



MACHINES LIST:

BIG HOOK FEED DOG FEEDING:GC298-2B

TOP AND BOTTOM FEEDING:DY-350/DY-352

DOUBLE NEEDLE NEEDLE FEEDING:GC20518-BZ

SINGLE NEEDLE HIGH POST NEEDLE FEEDING:GC24518-1Z

GC24518-1RDZ(WITH TRIMMER)

PATTERN SEWING MACHINE:HLS-342G-CAP/HLS-G3520R-CAP

CHRYSANTHEMUM EYE MACHINE:HLS-430-MO/MOC



# GC298-2B

INTEGRATED INTELLIGENT SINGLE NEEDLE ONE STEPPER HEAVY DUTY LOCKSTITCH SEWING MACHINE

- Integrated direct drive, big hook;
- Single stepper, inner LED lighting, E-knee lifter;
- Thread nipper device reduce bird-nest.



**GC298-2B** Integrated intelligent one stepper heavy duty lockstitch sewing machine

GC298-2B	•	•	3,200	0-7	DPX5 18#-24#	37	5.5/10	•	•	•	260X120
----------	---	---	-------	-----	-----------------	----	--------	---	---	---	---------

# DY-350/DY-352

INTEGRATED DIRECT DRIVE TOP AND BOTTOM FEED LOCKSTITCH SEWING MACHINE

- Integrated direct drive; DY-352 with sealed oil pan
- Stable structure and durability;
- DY-352 stepper motor for trimmer & presser foot lifter, backtacking & stitch length, equipped with E-back stitch lever



**DY-350** Integrated direct drive top and bottom feed lockstitch sewing machine with automatic trimmer (PFL optional)

**DY-352** Dual stepper type smart computerized top and bottom feed lockstitch sewing machine (stepper PFL)



DY-350	•	•	2,200	0-8	DPX17 20#-23#	37	7/16	•	•	•	260X120
DY-352	•	•	2,200	0-8	DPX17 20#-23#	37	7/16	•	•	•	330X120


# GC20518-BZ

TWIN NEEDLE HIGH SPEED NEEDLE FEEDING WITH BIG HOOK LOCKSTITCH SEWING MACHINE

- Needle bar and feed dog feed synchronously, ensuring better stitch;
- Special: 2.4, 3.2, 4.4, 8.5, 6.8, 9.5, 12.7, 16, 19, 25.4, 28.6, 32, 38mm;
- Needle gauge: standard 6.4mm;



**GC20518-BZ** Direct drive twin needle high speed needle feeding lockstitch sewing machine (big hook)



GC20518-BZ	•	•	3,000	0-7	DPX5 18#-22#	35	7/13	-	-	-	•	250x100
------------	---	---	-------	-----	-----------------	----	------	---	---	---	---	---------

# HLS-430-MO SERIES

ELECTRONIC PUNCHING SEWING MACHINE

- HLK-430-MO: Can make round eyes with inner holes of 1.5-8mm and double cylinder design for knitting without material jamming;
- HLK-430-MOC: Automatic Stepper motor bottom material feeding device, more saturated cap eyes, suitable for high demand production process.



**HLS-430-MO** Electronic punching sewing machine

**HLS-430-MOC** Electronic punching sewing machine (with bottom cloth feeding)



HLS-430-MO	-	•	3,200	0.5-12.7	DP*5 16	41.2	17	•	-	•
HLS-430-MOC	-	•	3,200	0.5-12.7	DP*5 16	41.2	17	•	-	•

# GC24518 SERIES

NEEDLE FEEDING LOCKSTITCH SEWING MACHINE

- Widely use on cap, needle feeding;
- Standard equipped with flat presser foot for cap;
- Full optional device: tape feeding, tape cutter, etc;
- D for trimmer, GC24518-1RDZ with perfect functions for heavy duty cape feeding & trimmer due to design construction

GC24518-1Z	Direct drive single needle needle feeding lockstitch sewing machine
GC24518-1RDZ	Direct drive single needle needle feeding lockstitch sewing machine with automatic trimmer(Right hook)



GC24518-1 with tape cutter



GC24518-1RDZ with tape cutter



GC24518-1Z



GC24518-1RDZ

	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10	Icon 11	Icon 12
GC24518-1Z	•	•	2,500	0-5	DPX5 11#-14#	33.4	7/10	-	-	•	-	405X167
GC24518-1RDZ	•	•	3,000	0-5	DPX5 11#-22#	36	10	•	•	-	•	405X167

# HLS-342G-CAP/HLS-G3520R-CAP

CAP VISOR ELECTRONIC PATTERN SEWING MACHINE

- HLS-342G-CAP Brother type while HLS-G3520R-CAP Mitsubishi type;
- Dahao separated new control system, Touching-screen, easy and quick for pattern programming;
- Taiwan guider;
- Support USB disk input;
- HLS-342G-CAP Shuttle hook, flat blade pull rod and simple trimmer structure, shorter trimmer ending, Dual axis feeding instruction, 7pcs feeding guide rails, HLS-G3520R-CAP with Japanese hook;
- Optional: thread broken inspection, double tension, sliding/rotating presser foot device, cap visor device, etc.

HLS-342G-CAP	Electronic pattern sewing machine(30X20cm) for cap visor
HLS-G3520R-CAP	Electronic pattern sewing machine(35X20cm) for cap visor



HLS-G3520R-CAP



HLS-342G-CAP



CAP DEVICE

	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10	Icon 11
HLS-342G-CAP	•	2,800	0.5-12.7	DP*17 18	41.2	30	•	-	•	•	300X200
HLS-G3520R-CAP	•	3,000	0.5-12.7	DP*17 16-23	40	25	•	-	•	•	350X200